

REMARKS

Claims 1-18, 20 and 22 are pending.

Applicants enclose a substitute specification herewith addressing most of the objections to the specification. Applicants respectfully disagree with the Examiner's objection to Figure 2 . The first sequence mentioned in Figure 2 (Co-CalDes) is disclosed in the sequence listing as SEQ ID NO: 2 (see the substitute specification, paragraph bridging pages 34 and 35 and the sequence listing). The other sequences are all in the public domain (see attached EMBL-EBI search results and the substitute specification, paragraph bridging pages 34 and 35).

Claims 6 and 7 stand rejected under 35 U.S.C. 101. Applicants have amended these claims to exclude humans.

Claims 1 and 4-14 stand rejected under 35 U.S.C. 112, second paragraph as being indefinite. Applicants have amended the claims on the points noted by the Examiner. The Examiner's suggestions are appreciated. The amendment of "at least one" to "the" or "a" does not change the scope of the claim, but is simply made for clarity. The terms "functional" and "nonfunctional" are defined at the paragraph bridging pages 18 and 19 of the substitute specification. Support for the amendment at the end of claim 1 can be found at the paragraph bridging pages 9 and 10 of the substitute specification.

Claims 1 and 4-14 stand rejected under 35 U.S.C. 112, first paragraph as failing to comply with the written description requirement and as lacking enablement.


Applicants respectfully traverse these rejections. Examples 4 and 5 of the present specification disclose the expression of the gene and the analysis of the lipids. In view of this disclosure, a person having ordinary skill in the art would be able to test other sequences for their enzymatic activity without undue experimentation, and thus would be able to practice the invention.

Claims 1 and 4-8 stand rejected under 35 U.S.C. 102(b) as being anticipated by Hitz (US 5,846,784). Claims 1 and 4-12 and 14 stand rejected under 35 U.S.C. 103(a) as being unpatentable over DeBonte et al. (US 5,850,026) in view of Hitz. Applicants respectfully traverse these rejections.


The applicants are claiming an isolated nucleic acid sequence which encodes a polypeptide with desaturase activity, selected from

- a) a nucleic acid sequence with the sequence shown in SEQ ID NO: 1,
- b) nucleic acid sequences which, as a result of the degeneracy of the genetic code, are derived from the nucleic acid sequence shown in SEQ ID NO: 1,
- c) derivatives of the nucleic acid sequence shown in SEQ ID NO: 1 which encode polypeptides with the amino acid sequence shown in SEQ ID NO: 2 and which have at least 75% homology at amino acid level without substantially reducing the enzymatic activity of the polypeptides.

In particular, applicants are claiming an enzyme which converts a fatty acid of the structure I,




which has double bonds separated from each other by a methylene group, to give a triunsaturated fatty acid of the structure II



the three double bonds of the fatty acid being in conjugation and wherein the substituents and variables in the compounds of the structure I and II having the meaning disclosed in the substitute specification at page 20 et seq.


Hitz (WO 98/56922, claim 14 and page 4, lines 13 and 14) teaches a  $\Delta$ -12-fatty acid epoxygenase (SEQ ID NO: 3) derived from plants and their nucleic acid sequence. This  $\Delta$ -12-fatty acid epoxygenase introduces an epoxy group into fatty acid molecules as illustrated by the following reaction



In addition Hitz discloses a "normal" desaturase which introduces a double bond into a fatty acid molecule and therefore leads to unsaturated fatty acids. Hitz does not mention desaturase activity which leads to triunsaturated fatty acids.

DeBonte et al. (US 5,850,026, see column 2, lines 60 to 65) discloses a  $\Delta$ -12-fatty acid desaturase. This desaturase introduces a double bond in the  $\Delta$ -12-position of the fatty acid. In addition, DeBonte et al. (see column 2, lines 60 to 65) teaches a  $\Delta$ -15-fatty acid desaturase which introduces a double bond in the  $\Delta$ -15-position of the fatty

acid. The reactions are as follows:



Applicants are claiming, as mentioned above, a nucleic acid which encodes a polypeptide with desaturase activity. More specifically, applicants are claiming a desaturase, which introduces a double bond into a fatty acid molecule which already has two double bonds in the molecule so that conjugated triunsaturated fatty acids are synthesized. This is totally different from the activities disclosed by DeBonte et al.

Therefore, applicants urge that the cited references do not anticipate or render obvious the present invention.

Please charge any shortage in fees due in connection with the filing of this paper, including Extension of Time fees to Deposit Account No. 11.0345. Please credit any excess fees to such deposit account.

Respectfully submitted,  
KEIL & WEINKAUF

Jason D. Voight  
Reg. No. 42,205

1350 Connecticut Avenue, N.W.  
Washington, D.C. 20036  
(202) 659-0100

EBI Dbfetch

SP-PL: 82729  
= Bo-Des

```

ID  AF074324  standard; mRNA; PLN; 1291 BP.
XX
AC  AF074324;
XX
SV  AF074324.1
XX
DT  13-JUL-1998 (Rel. 56, Created)
DT  03-MAR-2000 (Rel. 62, Last updated, Version 3)
XX
DE  Borago officinalis delta-12 fatty acid desaturase mRNA, complete cds.
XX
KW
XX
OS  Borago officinalis
OC  Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC  Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; asterids;
OC  lamiids; Boraginaceae; Borago.
XX
RN  [1]
RP  1-1291
RA  Sayanova O., Shewry P.R., Napier J.A.;
RT  "Fatty acid desaturases from borage";
RL  Unpublished.
XX
RN  [2]
RP  1-1291
RA  Sayanova O., Shewry P.R., Napier J.A.;
RT  ;
RL  Submitted (24-JUN-1998) to the EMBL/GenBank/DDBJ databases.
RL  Cell Biology, IACR-Long Ashton Research Station, Long Ashton, Bristol B
RL  9AF, UK
XX
RN  [3]
RC  Sequence update by submitter
RP  1-1291
RA  Sayanova O., Shewry P.R., Napier J.A.;
RT  ;
RL  Submitted (13-AUG-1998) to the EMBL/GenBank/DDBJ databases.
RL  Cell Biology, IACR-Long Ashton Research Station, Long Ashton, Bristol B
RL  9AF, UK
XX
CC  On Aug 14, 1998 this sequence version replaced gi:3309262.
XX
FH  Key          Location/Qualifiers
FH
FT  source       1..1291
FT               /db_xref="taxon:13363"
FT               /mol_type="mRNA"
  
```

```

FT      /organism="Borago officinalis"
FT      67..1218
FT      /codon_start=1
FT      /db_xref="GOA:082729"
FT      /db_xref="UniProt/TREMBL:082729"
FT      /product="delta-12 fatty acid desaturase"
FT      /protein_id="AAC31698.1"
FT      /translation="MGGGGRMPVPTKGKSKSDVFQRPSEKPPFTVGDLLKKVIP
FT      QRSVLHSFSYVVYDLVIAALFFYTASRYIHLQPHPLSYVAWPLYWFCQGSVLTGV
FT      HECGHAFSDYQWLDDTVGLLLHSALLVPYFSWKYSHRRHHSNTGSLERDEVFVP
FT      GISWSSEYLNPPGRVLYLLVQLTLGWPLYLMFNVSGRPYDRFACHFDPKSPIYN
FT      LQIYISDAGIVAVMYGLYRLVAAKGVAWVVCYGVPLLVNGLVLLITYLQHTQP
FT      YDSSEWDWLKGALATVDRDYGFLNKVLHNITDTHVAHHLFSTMPHYHAMEATKAI
FT      GDYYQCDRTPVFKAMYREVKECIYVEADEGDNKKGVFWYKNKL"
XX
SQ

```

Sequence 1291 BP; 305 A; 327 C; 292 G; 367 T; 0 other;

```

aattgcggcc gcgtcgacct gacataactaa ggaaagaaaa cgcttcttta tcagattact
gaacacatgg gtggtggagg gcgaatgccg gttccgacaa aggggaagaa gtccaaatcc
gatgtcttcc aacgagtgccc tagtgagaag ccgccgttca cagttggtga tctcaagaaa
gtcatccctc cccattgttt ccagcgatct gttctgcact cgttctctta tgcgtttat
gacctggtca ttgctgcctt cttcttctat accgcctcac gttacatcca tctccaacct
caccactctt cctacgtagc atggcccttg tactggtttt gccagggttc tgttttaact
ggtgtttggg ttatcgccca tgaatgtggt caccatgctt tcagcgacta ccagtggctg
gatgacacgg ttggcctgct cctccattcg gctctccttg tcccgtattt ctcattggaag
tacagtcatc gtcgccacca ttcgaacctt ggttctcttg aacgtgatga ggtatttttg
ccaaaaaaga gatcagggat cagctggtct tccgagtatc ttaacaacct accaggggaga
gttctttgtc ttttggtcca acttaccctt ggctggcctt tgtacttaat gttcaacgtc
tcaggggcgg cttatgatcg ttttgcttgc catttcgacc caaaaagtcc tatctacaat
gaccgtgagc gccttcagat ctacatctcc gatgcaggta ttgttgccgt catgtatggc
ttataccgcc ttgttgagc aaaaggagtc gcttgggtgg tctgttatta cggagttcct
ttactttgtg tgaatggttt tctcgtcttg atcacatatt tgcagcatc tcaaccttca
ttgcctcact atgattcctc cgaatgggac tggttgaagg gagctctcgc cacagttgac
agagattacg gcttctcaa caaggtcctc cataacatca ccgacactca tgttgccac
catttgttct caaccatgcc acattatcat gccatggaag caacgaaagc aatcaagccg
atattgggag attactacca gtgtgataga actcccgtct tcaaagccat gtacaggga
gtgaaggagt gcatttacgt tgaggccgac gaagggtgaca acaagaaagg tgtattctgg
tacaaaaaca agctctaata agttacggat gatgaaagc aaagcgtggg acgatgctga
caagcaactt ccctttcgtt gtattttatg a

```

//

Please contact [EBI Support](#) with any problems or suggestions regarding this site.

 [View Printer-friendly version of this page.](#)



EBI Dbfetch

SP\_PL: DP1931  
= Ca-Acetyl

ID CAY16285 standard; mRNA; PLN; 1435 BP.  
XX  
AC Y16285;  
XX  
SV Y16285.2  
XX  
DT 22-JUL-1998 (Rel. 56, Created)  
DT 23-DEC-2000 (Rel. 66, Last updated, Version 2)  
XX  
DE Crepis alpina mRNA for delta 12 fatty acid acetylenase  
XX  
KW delta 12 fatty acid acetylenase.  
XX  
OS Crepis alpina  
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;  
OC Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; asterids;  
OC campanulids; Asterales; Asteraceae; Cichorioideae; Cichorieae; Crepis.  
XX  
RN [2]  
RC Revised by [4]  
RA Lee M.A.;  
RT ;  
RL Submitted (21-JAN-1998) to the EMBL/GenBank/DDBJ databases.  
RL M.A. Lee, Nilsson Ehle Laboratory, Sualof Webull Ab, S-26881, Svalov,  
RL SWEDEN  
XX  
RN [3]  
RX MEDLINE; 98239771.  
RX PUBMED; 9572738.  
RA Lee M., Lenman M., Banas A., Bafor M., Singh S., Schweizer M., Nilsson  
RA Liljenberg C., Dahlqvist A., Gummesson P., Sjoedahl S., Green A., Stymne  
RT "Identification of non-heme diiron proteins that catalyze triple bond a  
RT epoxy group formation.";  
RL Science 280(5365):915-918(1998).  
XX  
RN [4]  
RP 1-1435  
RA Lee M.A.;  
RT ;  
RL Submitted (22-DEC-2000) to the EMBL/GenBank/DDBJ databases.  
RL M.A. Lee, Nilsson Ehle Laboratory, Sualof Webull Ab, S-26881, Svalov,  
RL SWEDEN  
XX  
FH Key Location/Qualifiers  
FH  
FT source 1..1435  
FT /db\_xref="taxon:72610"  
FT /mol\_type="mRNA"

FT /organism="Crepis alpina"  
 FT /dev\_stage="developing seed"  
 FT /clone\_lib="lambda ZAP"  
 FT /clone="pCREP1"  
 FT CDS 28..1155  
 FT /db\_xref="GOA:O81931"  
 FT /db\_xref="UniProt/Swiss-Prot:O81931" *Accession number*  
 FT /product="delta 12 fatty acid acetylenase"  
 FT /protein\_id="CAA76158.2"  
 FT /translation="MGGGGRGRTSQKPLMERVSVDPPFTVSDLKQAIPPHCFKRS  
 FT SYYIVHDAIIAYIFYFLADKYIPILPAPLAYLAWPLYWFCQASILTGLWVIGHEC  
 FT FSDYQWVDDTVGFILHSFLMTPYFSWKYSHRNHHANTNSLDNDEVYIPKSKAKVA  
 FT VLNHPPGRLLIMFITFTLGFPLYLFTNISGKKYERFANHFDPMSPIFKERERFQV  
 FT LGLLAVLYGVKLAVAAKGAAWVTCIYGIPVLGVFIFFDIITYLHHTHLSLPHYDS  
 FT WLRGALSTIDRDFGLNSVLHDVTHVMHHLFSYIPHYHAKEARDAINTVLGDF  
 FT RTPILKAMWREAKECIFIEPEKGRGSKGVYWNKF"  
 XX  
 SQ Sequence 1435 BP; 402 A; 352 C; 274 G; 407 T; 0 other;

tttcactatt aatcatttat caacaagatg ggtggcgggtg gccgtgggtcg gacttcgcaa  
 aaaccctca tggaaacgtgt ctcagttgat ccacccttca ccgtgagtgga tctcaagcaa  
 gcaatccctc cccattgctt caagcgatct gtaatccggt cctcttacta catagtcac  
 gatgctatta tgcgctacat cttctacttc cttgccgaca aatacattcc gattctccct  
 gccctctag cctacctcgc ttggcccctt tactgggttct gtcaagctag catcctcacc  
 ggcttatggg tcatcggtca cgaatgcggt caccatgcct tcagcgacta ccagtggtgt  
 gacgacactg tgggcttcat cctccactcg tttctcatga ccccgatttt ctcttgaaa  
 tacagccacc ggaaccacca tgccaacaca aattcgcttg acaacgatga agtttacatc  
 cccaaaagca aggccaaagt cgcgctttac tataaagttc tcaaccaccc acctggccga  
 ctgttgatta tggtcatcac cttcacccta ggcttccctc tatacctctt taccaatatt  
 tccggcaaga agtatgaaag gtttgccaac catttcgacc ccatgagtcg gattttcaaa  
 gagcgtgagc ggtttcaggt cttgctatcg gatcttggcc ttcttgctgt gctttacgga  
 gttaaacttg cggtagcagc gaaaggcgcc gcctgggtga cgtgcattta cgggaattcca  
 gtttttaggcg tgtttatctt tttcgatata atcacctact tgcaccacac ccatctgtcg  
 ttgcctcatt atgattcatc tgaatggaac tggctcagag gggctttgtc aacaatcgat  
 agggactttg ggttcctgaa tagtgtgctc catgatgta cacacactca cgttatgcat  
 catctgtttt catacattcc acactatcat gcgaaggagg caagggatgc aatcaacaca  
 gtcttgggcg actttttataa gatcgatagg actccaattc tgaaagcaat gtggagagag  
 gccaaaggaat gcattctcat cgagcctgaa aaaggtaggg ggtccaaggg tgtatattgg  
 tacaataaat tctgatcata tggaagatgc atctgcattt tcaaaccac cctttagttt  
 ttgtttctat gttttttttt tttgaaccag atcttagttc tatgtgtaat aaaccgcccg  
 tacaatgggt ttctatgcct aggccaggcg aaataattaa gtactgcccc tatctatatt  
 tgtaagggtat tacatttcgc ccatgaaata aaaaagatct ggttttgtta aaaaaaaaaa  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaa

//

Please contact [EBI Support](#) with any problems or suggestions regarding this site.

 View Printer-friendly version of this page.



### EBI Dbfetch

SP\_PL: 065771  
= Cp - Epoxy

```

ID  CPY16283   standard; mRNA; PLN; 1358 BP.
XX
AC  Y16283;
XX
SV  Y16283.1
XX
DT  13-MAY-1998 (Rel. 55, Created)
DT  13-MAY-1998 (Rel. 55, Last updated, Version 1)
XX
DE  Crepis palaestina mRNA for delta 12 fatty acid epoxygenase
XX
KW  delta 12 fatty acid epoxygenase.
XX
OS  Crepis palaestina
OC  Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC  Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots; asterids;
OC  campanulids; Asterales; Asteraceae; Cichorioideae; Cichorieae; Crepis.
XX
RN  [1]
RX  MEDLINE; 98239771.
RX  PUBMED; 9572738.
RA  Lee M., Lenman M., Banas A., Bafor M., Singh S., Schweizer M., Nilsson
RA  Liljenberg C., Dahlqvist A., Gummesson P., Sjoedahl S., Green A., Stymne
RT  "Identification of non-heme diiron proteins that catalyze triple bond a
RT  epoxy group formation.";
RL  Science 280(5365):915-918(1998).
XX
RN  [2]
RP  1-1358
RA  Lenman M.E.;
RT  ;
RL  Submitted (21-JAN-1998) to the EMBL/GenBank/DDBJ databases.
RL  M.E. Lenman, Dept of Plant Breeding Research, SLU, Herman Ehles V 2-4,
RL  26831 Svalov, SWEDEN
XX
FH  Key          Location/Qualifiers
FH
FT  source        1..1358
FT                  /db_xref="taxon:72611"
FT                  /mol_type="mRNA"
FT                  /organism="Crepis palaestina"
FT                  /dev_stage="developing seed"
FT                  /clone_lib="lambda ZAP"
FT                  /clone="pCpal2"
FT  CDS            30..1154
FT                  /db_xref="GOA:O65771"
FT                  /db_xref="UniProt/TrEMBL:O65771"
FT                  /product="delta 12 fatty acid epoxygenase"

```

Accession  
number

FT  
FT  
FT  
FT  
FT  
FT  
FT  
XX  
SQ

```
/protein_id="CAA76156.1"  
/translation="MGAGGRGRTSEKSVMERVSVDVPTFSLSELKQAIPPHCFQR  
SSYYVVQDLIIAYIFYFLANTYIPTLPSTLAYLAWPVYWFQCASVLTGLWILGHE  
AFSNYTWFD DTVGFILHSFLLTPYFSWKFSHRNHHSNTSSIDNDEVYIPKSKSKL  
KLLNNPPGRLLVLIIMFTLGFPLYLLTNISGKKYDRFANHFDPMSPIFKERERFQ  
DLGLLAVFYGIKVAVANKGAAWVACMYGVPVLGVFTFFDVITFLHHTHQSSPHYD  
NWIRGALSAIDRDFGLNSVFHDVTHTHVMHHLFSYIPHYHAKEARDAIKPILGD  
DRTPIKAMWREGRECMYIEPDSKLG VYWHKL"
```

Sequence 1358 BP; 358 A; 308 C; 278 G; 414 T; 0 other;  
gagaagttga ccataaatca tttatcaaca tgggtgccgg cggtcgtggt cggacatcgg  
aaaaatcggg catggaacgt gtctcagttg atccagtaac cttctcactg agtgaattga  
agcaagcaat cctcccccatt tgcttccaga gatctgtaac ccgctcatct tactatgttg  
ttcaagatct cattattgcc tacatcttct acttccttgc caacacatat atccctactc  
ttctactag tctagcctac ttagcttggc ccgtttactg gttctgtcaa gctagcgtcc  
tactggcgtt atggatcctc ggccacgaat gtggtcacca tgcctttagc aactacacat  
ggtttgacga cactgtgggc ttcacacctc actcatttct cctcaccctg tatttctctt  
ggaaattcag tcaccggaat caccattcca acacaagttc gattgataac gatgaagttt  
acattccgaa aagcaagtcc aaactcgcgc gtatctataa acttcttaac aaccacctg  
gtcggctggt ggttttgatt atcatgttca ccctaggatt tcctttatac ctcttgacaa  
atatttccgg caagaaatac gacagggttg ccaaccactt cgaccccatg agtccaattt  
tcaaagaacg tgagcgggtt caggctcttc tttcggatct tggctcttct gccgtgtttt  
atggaattaa agttgctgta gcaaataaag gagctgcttg ggtagcgtgc atgtatggag  
ttccggtatt aggcgtattt acctttttct atgtgatcac cttcttgcac cacacccatc  
agtcgtcgcc tcattatgat tcaactgaat ggaactggat cagagggggc ttgtcagcaa  
tcgataggga ctttggtatc ctgaatagtg ttttccatga tgttacacac actcatgtca  
tgcattcattt gttttcatac attccacact atcatgcaaa ggaggcaagg gatgcaatca  
agccaatctt gggcgacttt tatatgatcg acaggactcc aattttaaaa gcaatgtgga  
gagagggcag ggagtgcatt tacatcgagc ctgatagcaa gctcaaagggt gtttattggt  
atcataaatt gtgatcatat gcaaaatgca catgcatttt caaacctct agttacgttt  
gttctatgta taataaaccg ccggtccttt ggttgactat gcctaagcca ggcgaaacag  
ttaaataata tcggtatgat gtgtaatgaa agtatgtggt tgtctggttt tgttgctatg  
aaagaaagta tgtggttgtc ggtcaaaaaa aaaaaaaa

//

Please contact [EBI Support](#) with any problems or suggestions regarding this site.

 [View Printer-friendly version of this page.](#)